# **Area Scan lens**


#### A9-2528-6MPE



#### Features

- Support up to 1/1.8" camera sensors;
- 6 models, focal length covering from 8mm to 50mm;
- High resolution for 6MP camera in full of view , high edge definition ;
- Design for close working distance, more suitable for industrial vision inspection scenarios;
- Ultra low distorion;
- Stable sharpness quality when temperature varies from -20°C~50°C;

### Dimensions (mm)





## Specification

Model		A9-2528-6MPE
Basic	Series	A9-6MP Series
	Model	A9-2528-6MPE
	Focal Length	25 mm
	Aperture	F2.8 - 16
	Image Sensor Size	Ф9.4 mm(1/1.8")
	Focus Range	0.15 m to infinite
	Optical Distortion	0.1%
	TV Distortion	0.05%
	Field of View	20.98°×17.2°×11.5°(9 mm×7.4 mm×4.9 mm)
	Relative Illumination	90% (F2.8); 95% (F4.0)
	CRA ( Chief Ray Angle)	7.8°
	Spectral Range	436 nm~656 nm
	Spectral Transmission	T > 85%
Structure	Camera Mount	C - Mount
	Filter Thread	M27×P0.5
	Focus Control	Manual
	Iris Control	Manual
	Product Dimensions	33.5×Ф30 mm
	Net Weight	47±5 g
Environment	Operating Temperature	-20°C ~ +50°C